

**Tab. 1.** Medikace + laboratorní parametry v séru

	Den 1	Den 2	Den 3	Den 4	Den 5	Den 6
	+ kotrimoxazol	kotrimoxazol	kotrimoxazol	ex		
	+ vorikonazol	vorikonazol	vorikonazol	ex		
	+ meropenem	meropenem	meropenem	meropenem	meropenem	meropenem
	+ moxifloxacin	moxifloxacin	moxifloxacin	ex		
	+ amiodaron	amiodaron	ex			
ALT (0,15–0,75 µkat/l)	0,65	24,42	35,96	26,11	20,55	14,71
AST (0,15–0,85 µkat/l)	0,44	59,30	60,15	26,8	9,71	4,41
GMT (0,1–0,92 µkat/l)	0,96	1,23	1,64	1,77	1,79	1,47
Bilirubin celkový (3,1–21,0 µmol/l)	10,7	12,9	10,8	12,1	-	-
Bilirubin konjugovaný (0,0–4,0 µmol/l)	-	-	4,4	5,0	-	-
Amoniak (18–72 µmol/l)	-	165	161	-	220	174
Urea (2,9–7,5 µmol/l)	11,2	19,4	30,4	27,1	27,2	27,0
Kreatinin (64–104 µmol/l)	107	199	216	179	158	171
eGFR-CKD-EPI 1,00–2,35 ml/s	1,03	0,48	0,44	0,55	0,64	0,58
CRP 0–10 mg/l	220	342	247	155	111	70
PCT 0,00–0,50 µg/l	0,74	0,79	0,60	-	0,47	0,59
Quick (70–130 %)	65,0	57,7	50,5	46,0	57,6	61,5
Quick INR	1,22	1,37	1,49	1,55	1,33	1,27
APTT (24,7–37,1 s)	39,3	45,1	39,9	41,9	35,6	36,0

+ – nasazení, ex – vysazení, ALT – alaninaminotransferáza, AST – aspartátaminotransferáza, GMT – gamaglutamyltransferáza, CRP – C-reaktivní protein, PCT – prokalcitonin, APTT – aktivovaný parciální tromboplastinový test